WESTERN BIRDS, INDEX, VOLUME 21, 1990

Compiled by Mildred Comar

Aegithalos minimus, 35-36, 114, 127, 130, 132, 133, 134
Aegolius acadicus, 12, 13, 14, 15
Aeronates saxatalis, 130
Aimophila cassinii, 165, 166
  ruficeps, 114
Alauda arvensis, 146
Albatross, Laysan, 140, 177
  Short-tailed, 149–150
Ammodramus caudacutus, 165
Amphispiza belli, 114
  bilineata, 131
Anderson, Clifford M., and David M. Batchelder, First Confirmed Nesting of the Black-shouldered Kite in Washington, 37–38
Anhinga, 145, 147, 151
Anhinga anhinga, 145, 147, 151
Anser albifrons, 171
Anthus cervinus, 159
Aphelocoma coerulescens, 127, 128, 130, 132, 133, 134
Aquila chrysaetos, 128, 182
Archilochus alexandri, 157
  colubris, 157, 162
Asio otus, 12, 14, 15, 129, 132, 133
Atwood, Jonathan L., see Collins, C. T.
Avocet, American, 54, 56, 58, 60, 62, 63
Aythya fuligula, 152

Batchelder, David M., see Anderson, C. M.
Bevier, Louis R., Eleventh Report of the California Bird Records Committee, 145–176
Black-Hawk, Common, 169
Bombycilla cedrorum, 131
Booby, Blue-footed, 168
  Brown, 151
Brambling, 167
Branta leucopsis, 170–172
  bernicla, 171, 172
  canadensis, 171
Bubo virginianus, 12, 13, 14, 129
Bunting, Lazuli, 131
  Painted, 165
  Snow, 166, 167
Bushtit, 35–36, 114, 127, 130, 132, 133, 134
Buteo albonotatus, 152, 169
  jamaicensis, 128
Buteogallus anthracinus, 169
Calcarius pictus, 146
Calidris alpina, 54, 57, 60–63
  mauri, 54, 57, 59–63
  minutilla, 54, 56, 60
  ruficollis, 153
Callipepla californica, 113
  gambelii, 128
Calonectris leucomelas, 150
Calypte anna, 130
  costae, 114, 130
Campylorhynchus brunneicapillus, 81–126, 130, 185
Caprimulgus carolinensis, 77, 137–138
Cardinal, Northern, 164–165, 172
Cardinalis cardinalis, 164–165, 172
  sinuatus, 165
Carduelis flammea, 167–168, 170
  hornemanni, 168
  lawrencei, 131, 132, 133
  psaltria, 33–34, 131, 133
Carpodacus cassinii, 131
  mexicanus, 131, 179
Catbird, Gray, 159, 172
Catharus fuscescens, 159
  guttatus, 130
  minimus, 159
Catherpes mexicanus, 130, 133
Catoptrophorus semipalmatus, 54, 55, 62
Chamaea fasciata, 114
Charadrius alexandrinus, 39–40
  hiaticula, 169
  vociferus, 177
Chen canagica, 152
Chickadee, Mountain, 130
Chloroceryle americana, 170
Chordeiles acutipennis, 129
Chuck-will's-widow, 77, 137–138
Cistothorus platensis, 158–159, 163, 164
Coccyzus erythropthalmus, 156
Colaptes auratus, 130
Collins, Charles T., and Jonathan L. Atwood, First Records of the Thick-billed Kingbird in Baja California, Mexico, 75–76; Dale Delaney, and Jonathan Atwood, First Record of the Great Kiskadee in Baja California, Mexico, 73–74; see also Foerster, K. S.
Columbina talpacoti, 145, 147, 155–156
  inca, 155
  passering, 155, 156

Contopus pertinax, 158
sordidulus, 130
Cormorant, Olivaceous, 151
Corvus corax, 130
Coturnicops noveboracensis, 153, 169
Cowbird, Brown-headed, 35–36, 179
Cuckoo, Black-billed, 156
Curlew, Long-billed 54, 55, 62
Cygnus buccinator, 152
cygnus, 168
Cynanthus latirostris, 156–157
Cypseloides niger, 1–9

Delaney, Dale, see Collins, C. T.
Dendrocygna autumnalis, 151
Dendroica sp., 179
cerulea, 160
coronata, 131
dominica, 160
graciae, 160
nigrescens, 131
occidentalis, 131
pinus, 160
townsendi, 131
Diomedea albatrus, 149–150
immutabilis, 140, 177
Dominguez, Raymundo, see Rodriguez-Estrella, R.
Dove, Common Ground, 155, 156
Inca, 155
Mourning, 128, 179
Ruddy Ground, 145, 147, 155–156
White-winged, 177
Dowitcher spp., 54, 56, 58, 60, 63
Long-billed, 56, 57
Short-billed, 57
Duck, Black-bellied Whistling, 151
Tufted, 152
Dumetella carolinensis, 159, 172
Dunlin, 54, 57, 60–63

Eagle, Golden, 128, 182
Egret, Reddish, 151
Egretta rufescens, 151
Eider, King, 152
Elanus caeruleus, 37–38
Empidonax difficilis, 130
flaviventris, 158
Empidonomus varius, 146
Eugenes fulgens, 169–170

Falco peregrinus, 181–183
rusticolus, 153
sparverius, 132, 133, 177
Falcon, Peregrine, 181–183
Finch, Cassin's, 131
House, 131, 179
Flicker, Northern (Red-shafted), 130
Flycatcher, Ash-throated, 130
Dusky-capped, 158
Great Crested, 158
Scissor-tailed, 158, 172
Sulphur-bellied, 146
Variegated, 146
Western, 130
Yellow-bellied, 158
Foerster, Kevin S., and Charles T. Collins, Breeding Distribution of the Black Swift in Southern California, 1–9
Fringilla montifringilla, 167

Garrett, Kimball L., Leucistic Black-vented Shearwaters (*Puffinus opisthomelas*) in Southern California, 69–72
Gavia adamsii, 17–24, 148–149, 168, 172
immer, 17–22
Glaucidium gnoma, 12, 14, 15
Gnatcatcher, Black-Tailed, 101
Blue-gray, 130, 133
California, 81, 114, 115
Godwit, Marbled, 54, 56, 60, 62
Goldfinch, Lawrence's, 131, 132, 133
Lesser, 33–34, 131, 133
Goose, Barnacle, 147, 170–172
Canada, 171
Emperor, 152
White-fronted, 171
Grackle, Common, 167, 170
Grosbeak, Black-headed, 131
Ground-Dove, Common, 155, 156
Ruddy, 155–156
Gubanich, Alan A., and Howard R. Panik, Cowbird Parasitism on the Lead-colored Bushtit, 35–36
Gull, Common Black-headed, 145, 155, 169
Little, 154
Ring-billed, 177
Western, 177
Gymnorhinus cyanocephalus, 132, 133
Gyrfalcon, 153

Haematopus palliatus, 153
Harris, Stanley W., and Ben Hawkins, A Specimen of Chuck-will's-widow from Humboldt County, California, 77

Hawk, Common Black, 169
Red-tailed, 128
Zone-tailed, 152, 169
Hawkins, Ben, see Harris, S. W.
Helmitheros vermivorus, 161
Heron, Yellow-crowned Night, 151
Holway, David A., Patterns of Winter Shorebird Occurrence in a San Francisco Bay Marsh, 51–64
Howell, Steve N. G., Identification of White and Black-backed Wagtails in Alternate Plumage, 41–49
Hummingbird, Anna's, 130
Black-chinned, 157
Broad-billed, 156–157
Costa's, 114, 130
Magnificent, 169–170
Ruby-throated, 157, 162

Icterus galbula, 131
parisorum, 131, 132, 133
Ictinia mississippiensis, 152, 168
plumbea, 152
Ixoreus naevius, 179

Jay, Pinyon, 132, 133
Scrub, 127, 128, 130, 132, 133,134
Junco, Dark-eyed, 131, 179
Junco hyemalis, 131, 179

Kestrel, American, 132, 133, 177
Killdeer, 177
Kingbird, Thick-billed, 75–76, 158
Western, 130, 184
Kingfisher, Green, 170
Kinglet, Ruby-crowned, 130
Kiskadee, Great, 73–74
Kite, Black-shouldered, 37–38
Mississippi, 152, 168
Plumbeous, 152

Lanius ludovicianus, 131
Larus delawarensis, 177
minutus, 154
occidentalis, 177
ridibundus, 145, 155, 169
Limnodromus spp., 54, 56, 58, 60, 63
griseus, 57
scolopaceus, 56, 57
Limosa fedoa, 54, 56, 60, 62
Longspur, Smith's, 146
Loon, Common, 17–22
Yellow-billed, 17–24, 148–149, 168, 172

Mata, Eustolia, see Rodriguez-Estrella, R.
McCaskie, Guy, First Record of the Band-rumped Storm-Petrel in California, 65–68; and Richard E. Webster, A Second Wedge-tailed Shearwater in California, 139–140
Meadowlark, Western, 179
Melanerpes erythrocephalus, 157
formicivorus, 130, 132
Mellink, Eric, and Eduardo Palacios, Observations on Isla Guadalupe in November 1989, 177–180
Mimus polyglottos, 131, 179
Mockingbird, Northern, 131, 179
Molothrus ater, 35–36, 179
Morlan, Joseph, see Webster, R. E.
Motacilla alba, 41–50
flava, 159
lugens, 41–49, 159
Myadestes townsendi, 130
Myiarchus cinerascens, 130
crinitus, 158
tuberculifer, 158
Myiodynastes luteiventris, 146

Nighthawk, Lesser, 129
Night-Heron, Yellow-crowned, 151
Noble, Paul L., Distribution and Density of Owls at Monte Bello Open Space Preserve, Santa Clara County, California, 11–16
Numenius americanus, 54, 55, 62
Nyctanassa violacea, 151
Nyctea scandiaca, 156

Oceanites oceanicus, 66, 147, 150–151
Oceanodroma castro, 65–68
leucorhoa, 65, 66, 140, 177
melania, 65, 66, 140
microsoma, 65, 66, 140
Oporornis agilis, 161
formosus, 161, 170
philadelphia, 161
Oreortyx pictus, 127, 128, 132, 133, 136
Oriole, Northern (Bullock's), 131
Scott's, 131, 132, 133
Otus kennicottii, 12, 13, 14, 15
Owl, Barn 12, 15
Barred, 147, 156
Great Horned, 12, 13, 14, 129
Long-eared, 12, 14, 15, 129, 132, 133
Northern Pygmy, 12, 14, 15

Northern Saw-whet, 12, 13, 14, 15
Snowy, 156
Western Screech, 12, 13, 14, 15
Oystercatcher, American, 153

Palacios, Eduardo, see Mellink, E.
Panik, Howard R., see Gubanich, A. A.
Parus gambeli, 130
inornatus, 127, 128, 132, 133
Passerella iliaca, 131
Passerina amoena, 131
ciris, 165
Pavelka, Mark A., Peregrine Falcons Nesting in San Diego, California, 181–183
Peterson, A. Townsend, Birds of Eagle Mountain, Joshua Tree National Monument, California, 127–135
Petrel, Cook's, 140, 147, 168
Mottled, 150
Pewee, Greater, 158
Western Wood, 130
Phainopepla, 131, 179
Phainopepla nitens, 131, 179
Phalacrocorax olivaceus, 151
Pheucticus melanocephalus, 131
Phillips, Allan R., Identification and Southward Limits, in America, of *Gavia adamsii*, the Yellow-billed Loon, 17–24
Philomachus pugnax, 153–154
Phoebe, Say's, 130
Piazza, John J., First Documented Record of Chuck-will's-widow in New Mexico, 137–138
Picoides scalaris, 130, 133
tridactylus, 157
Pipilo chlorurus, 131
crissalis, 114
erythrophthalmus, 114, 131, 132, 133
Pipit, Red-throated, 159
Piranga ludoviciana, 131
olivacea, 164
Pitangus sulphuratus, 73–74
Plectrophenax nivalis, 166, 167
Plover, Black-bellied, 54, 56, 57, 59
Common Ringed, 169
Snowy, 39–40
Pluvialis squatarola, 54, 56, 57, 59
Polioptila caerulea, 130, 133
californica, 81, 114, 115
melanura, 101
Protonotaria citrea, 161
Psaltriparus minimus, 35–36, 114, 127, 130, 132, 133, 134
Pterodroma cookii, 140, 147, 168
inexpectata, 150
Puffinus bulleri, 140
carneipes, 139
griseus, 139, 140
opisthomelas, 69–72
pacificus, 139–140, 150
tenuirostris, 139
Pyrrhuloxia, 165

Quail, California, 113
Gambel's, 128
Mountain, 127, 128, 132, 133, 136
Quiscalus quiscula, 167, 170

Rail, Yellow, 153, 169
Raven, Common, 130
Rea, Amadeo M., and Kenneth L. Weaver, The Taxonomy, Distribution, and Status of Coastal California Cactus Wrens, 81–126
Recurvirostra americana, 54, 56, 58, 60, 62, 63
Redpoll, Common, 167–168, 170
Hoary, 168
Redshank, Spotted, 153, 172
Regulus calendula, 130
Rivera R., Laura, see Rodriguez-Estrella, R.
Roberson, Don, see Webster, R. E.
Robin, Rufous-backed, 159
Rodriguez-Estrella, Ricardo, Laura Rivera Rodriguez, Eustolia Mata, and Raymundo Dominguez, First Record of the Western Kingbird (*Tyrannus verticalis*) in Baja California Sur, 184
Ruff, 153–154

Salpinctes obsoletus, 130, 179
Sandpiper, Buff-breasted, 153, 154, 169
Least, 54, 56, 60
Rufous-necked, 153
Western, 54, 57, 59–63
Sayornis saya, 130
Screech-Owl, Western, 12, 13, 14, 15
Shearwater, Black-vented, 69–72
Buller's, 140
Flesh-footed, 139
Short-tailed, 139
Sooty, 140
Streaked, 150
Wedge-tailed, 139–140, 150
Shrike, Loggerhead, 131

Skylark, Eurasian, 146
Solitaire, Townsend's, 130
Somateria spectabilis, 152
Sparrow, Black-chinned, 131, 132, 133
  Black-throated, 131
  Cassin's, 165, 166
  Fox, 131
  Rufous-crowned, 114
  Sage, 114
  Sharp-tailed, 165
  White-crowned, 131, 179
Spizella atrogularis, 131, 132, 133
Starling, European, 179
Stephens, Daniel A., Cheryl Webb, and Charles H. Trost, First Report of Nesting Lesser Goldfinch in Idaho, 33–34
Sterna anaethetus, 30
  caspia, 78–80
  fuscata, 25–32
  sandvicensis, 155
Stint, Rufous-necked, 153
Storm-Petrel, Band-rumped, 65–68
  Black, 65, 66, 140
  Leach's, 65, 66, 67, 140, 177
  Least, 65, 66, 140
  Wilson's, 66, 67, 147, 150–151
Strix varia, 156
Sturnella neglecta, 179
Sturnus vulgaris, 179
Sula leucogaster, 151
  nebouxii, 168
Swallow, Violet-green, 130
Swan, Trumpeter, 152
  Whooper, 168
Swift, Black, 1–9
  White-throated, 130

Tachycineta thalassina, 130
Tanager, Scarlet, 164
  Western, 131
Taylor, Daniel M., The Caspian Tern in Idaho, 78–80
Tern, Bridled, 30
  Caspian, 78–80
  Sandwich, 155
  Sooty, 25–32
Thrasher, California, 114, 132, 133
Thrush, Gray-cheeked, 159
  Hermit, 130
  Varied, 179
Thryomanes bewickii, 114, 128, 130, 133, 134
Titmouse, Plain, 127, 128, 132, 133
Towhee, California, 114
  Green-tailed, 131
  Rufous-sided, 114, 131, 132, 133
Toxostoma redivivum, 114, 132, 133
Tringa erythropus, 153, 172
Troglodytes bewickii, 114, 128, 130, 133, 134
Trost, Charles H., see Stephens, D. A.
Tryngites subruficollis, 153, 154, 169
Turdus rufopalliatus, 159
Tyrannus crassirostris, 75–76, 158
  forficatus, 158, 172
  verticalis, 130, 184
Tyto alba, 12, 15

Veery, 159
Vermivora celata, 131
  pinus, 160
Vireo, Gray, 131, 132, 133
  Hutton's, 131
  Philadelphia, 159, 170
  Solitary, 131
  Warbling, 131
  Yellow-green, 159–160, 170
  Yellow-throated, 145, 159
Vireo flavifrons, 159
  flavoviridis, 159–160, 170
  gilvus, 131
  huttoni, 131
  philadelphicus, 159, 170
  solitarius, 131
  vicinior, 131, 132, 133

Wagtail, Black-backed, 41–49, 159
  White, 41–50
  Yellow, 159
Warbler, sp., 179
  Black-throated Gray, 131
  Blue-winged, 160
  Cerulean, 160
  Connecticut, 161
  Grace's, 160
  Hermit, 131
  Kentucky, 161, 170
  Mourning, 161
  Orange-crowned, 131
  Pine, 160
  Prothonotary, 161
  Townsend's, 131
  Wilson's, 131
  Worm-eating, 161
  Yellow-rumped, 131
  Yellow-throated, 160
Waxwing, Cedar, 131

Weaver, Kenneth L., see Rea, A. M.
Webb, Cheryl, see Stephens, D. A.
Webster, Richard E., Joseph Morlan, and Don Roberson, First Record of the Sooty Tern in California, 25–32; see also McCaskie, G.
Whistling-Duck, Black-bellied, 151
Willet, 54, 55, 62
Wilsonia pusilla, 131
Winchell, Clark S., First Breeding Record of the Snowy Plover for San Clemente Island, 39–40
Woodpecker, Acorn, 130, 132
  Ladder-backed, 130, 133
  Red-headed, 157
  Three-toed, 145, 157
Wood-Pewee, Western, 130
Wren, Bewick's, 114, 128, 130, 133, 134
  Cactus, 81–126, 130, 185
  Canyon, 130, 133
  Rock, 130, 179
  Sedge, 158–159, 163, 164
Wrentit, 114

Zenaida asiatica, 177
  macroura, 128, 179
Zonotrichia leucophrys, 131, 179



Ruddy Ground-Dove *Sketch by Tim Manolis*